GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Municipal Administration & Urban Development Department - Allegations leveled against Sri V.Satyanarayana, the then Assistant Engineer, Saluru Municipality - Certain irregularities committed in execution of Departmental works and substandard quality of work in Saluru Municipality, Vizianagaram District - Departmental Proceedings under Rule-20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 – Article of Charges - Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 870 **Dated: 11-09-2018.**

Read the following:-

1. From the Director General, G.A.(V&E) Dept., Vigilance Report No.87 (1531/V&E/E1/06), dated 27.06.2008.
2. G.O.Rt.No.867, M.A. & U.D. (Vig.I) Dept., dated:11.09.2018.

* * *

O R D E R:

It is proposed to hold an enquiry against Sri V.Satyanarayana, the then Assistant Engineer, Saluru Municipality, Vizianagaram District in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The statement of articles of charges and statement of imputations of misconduct and misbehavior in respect of which the inquiry is proposed to be held is set out in the enclosed Annexures I&II. A list of documents by which and a list of witnesses by whom, the articles of charges proposed to be sustained are also enclosed in Annexures III & IV.

3. Sri V.Satyanarayana, the then Assistant Engineer, Saluru Municipality, Vizianagaram District is directed to submit his written statement of his defense within (10) days from the date of receipt of this order.

4. Sri V.Satyanarayana, the then Assistant Engineer, Saluru Municipality, Vizianagaram District informed that an inquiry will be held only in respect of those articles of charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri V.Satyanarayana, the then Assistant Engineer, Saluru Municipality, Vizianagaram District is further informed that if he does not submit his written statement of defence on or before the date specified in para (3) above further action will be processed based on the material available.

6. Attention of Sri V.Satyanarayana, the then Assistant Engineer, Saluru Municipality, Vizianagaram District is invited to Rule 24 of the Andhra Pradesh Civil Services (conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest

(PTO)

in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings it will be presumed that above Sri V.Satyanarayana, the then Assistant Engineer, Saluru Municipality, Vizianagaram District is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The Engineer–in-Chief (Public Health) A.P., Guntur is directed to furnish copies of documents as per Annexure-III to Sri V.Satyanarayana, the then Assistant Engineer, Saluru Municipality, Vizianagaram District.

8. The receipt of G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri V.Satyanarayana, the then Assistant Engineer, Saluru Municipality
through the EnC (PH), AP, Guntur
The Engineer-in-Chief (PH), A.P., Guntur.

Copy to:
The GA (V&E) Dept., AP, Vijayawada (With reference to Vigilance Report No.87 (1531/V&E/E1/06), dated 27.06.2008)
The Secretary to A.P.Vigilance Commission, 5th Block, A.P. Secretariat.
SF/SCs.

//FORWARDED::BY ORDER//

SECTION OFFICER

Annexure –I to G.O.Rt.No.870 MA&UD (Vig.I) Dept., Dt: 11.09.2018

LIST OF ARTICLES OF CHARGES FRAMED AGAINST SRI V. SATYANARAYANA, THE THEN ASSISTANT ENGINEER, SALURU MUNICIPALITY.

CHARGE:

Sri V. Satyanarayana, while working as Assistant Engineer, Saluru Municipality has committed the following irregularities:-

i) not taken any advance for the execution of works departmentally.

ii) not maintained the cash book nor G.C. register.

iii) no tests were conducted on materials.

Thus, Sri V.Satynarayana, Assistant Engineer by his above mentioned act has exhibited lack of integrity, devotion to duty and conduct unbecoming a member of service and thereby violated rule 3 (1) and (2) of APCS (Conduct) Rules, 1964.

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

//FORWARDED::BY ORDER//

SECTION OFFICER

Annexure –II to G.O.Rt.No.870MA&UD (Vig.I) Dept., Dt: 11.09.2018

STATEMENT OF IMPUTATIONS OF MISBEHAVIOR /MIS-CONDUCT AGAINST SRI V. SATYANARAYANA, THE THEN ASSISTANT ENGINEER, SALURU MUNICIPALITY

Sri V.Satynarayana, while working as Assistant Engineer, Saluru Municipality committed the irregularities mentioned in Annexure-1.

By his above mentioned acts, he has exhibited rack of integrity, devotion to duty and conduct unbecoming a member of service and thereby violated rule 3 (1) and (2) of APCS (conduct) Rules, 1964. For omission of this act, he is held responsible.

Thus the charges.

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

//FORWARDED::BY ORDER//

SECTION OFFICER

Annexure –III to G.O.Rt.No.870MA&UD (Vig.I) Dept., Dt:11.09.2018

LIST OF DOCUMENTS RELIED UPON TO SUSTAIN THE CHARGES FRAME AGAINST SRI V. SATYANARAYANA, THE THEN ASSISTANT ENGINEER, SALURU MUNICIPALITY

1. From the G.A (V&E) Dept.,V.R.No.87(1531/V&E/E1/06), Dt.27.06.2008.
2. Govt. Memo No. 13120/E1/2008, Dt. 06.08.2008.

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

//FORWARDED::BY ORDER//

SECTION OFFICER

Annexure –IV to G.O.Rt.No.870MA&UD (Vig.I) Dept., Dt: 11.09.2018

LIST OF WITNESSES EXAMINEDTO SUSTAIN THE CHARGES FRAMED AGAINST SRI V. SATYANARAYANA, THE THEN ASSISTANT ENGINEER, SALURU MUNICIPALITY

-NIL-

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

//FORWARDED::BY ORDER//

SECTION OFFICER